

[Back to Overview](#)

Model Code		LC32T550FDRXEN
Attribute	Value	
Display	Screen Size (Class)	32
	Flat / Curved	Curved
	Active Display Size (HxV) (mm)	698.4x392.85
	Screen Curvature	1000R
	Aspect Ratio	16:09
	Panel Type	VA
	Brightness (Typical)	250 cd/m ²
	Peak Brightness (Typical)	N/A
	Brightness (Min)	200 cd/m ²
	Contrast Ratio Static	3,000:1(Typ.)
	Dynamic Contrast Ratio	Mega
	HDR(High Dynamic Range)	N/A
	Resolution	1,920 x 1,080
	Response Time (ms)	4(GTG)
	Viewing Angle (H/V)	178°(H)/178°(V)
	Color Support	Max 16.7M
	Color Gamut (NTSC 1976)	0.806
	Color Gamut (DCI Coverage)	0.88
	sRGB Coverage	1.193
	Adobe RGB Coverage	0.884
Frame Rate	Max 75Hz	
Samsung MagicRotation Auto	N/A	
Eco Saving Plus	Yes	
Eco Motion Sensor	N/A	
Eco Light Sensor	N/A	
0.00 W Off mode	N/A	
Eye Saver Mode	Yes	
Flicker Free	Yes	
Picture-In-Picture	N/A	
Picture-By-Picture	N/A	
Quantum Dot Color	N/A	
Game Mode	Yes	
Image Size	N/A	
USB Super Charging	N/A	
Daisy Chain	N/A	
Windows Certification	Windows 10	
FreeSync	Yes	
FreeSync Premium	N/A	
FreeSync Premium Pro	N/A	
G-Sync	N/A	
Off Timer Plus	Yes	
Smartphone Wireless Charging	N/A	
Screen Size Optimizer	N/A	

General Feature	Black Equalizer	N/A
	Low Input Lag Mode	N/A
	Refresh Rate Optimizer	N/A
	Custom Key	N/A
	Super Arena Gaming UX	N/A
	HDMI-CEC	Yes
Interface	Wireless Display	No
	D-Sub	1 EA
	DVI	No
	Dual Link DVI	No
	Display Port	1 EA
	Display Port Version	1.2
	Display Port Out	No
	Display Port Out Version	N/A
	Mini-Display Port	No
	HDMI	1 EA
	HDMI Version	1.4
	Audio In	Yes
	Headphone	Yes
	USB Hub Down Ports	No
	USB Hub Version	N/A
	USB-C	No
	USB-C Charging Power	N/A
	Thunderbolt 3	N/A
	Thunderbolt 3 Charging Power (Port 1)	N/A
	Thunderbolt 3 Charging Power (Port 2)	N/A
Ethernet (LAN)	N/A	
Audio	Speaker	Stereo
	USB Sound Bar (Ready)	No
Operation Conditions	Temperature	10°C~ 40°C °C
	Humidity	10% ~ 80%, non-condensing %
Calibration	Factory Tuning	N/A
	Built in Calibration Engine	N/A
	LUT(Look-up Table) Bit Depth	N/A
	Gray Balance	N/A
	Uniformity Correction	0.75
	Color Mode	N/A
	CMS(Color Management Software)	N/A
	Factory Calibration Report	N/A
	Color	DARK BLUE GRAY
	Stand Type	SIMPLE
	HAS(Height Adjustable Stand)	N/A
	Tilt	-3'(±2') ~ 20'(±2')
	Swivel	N/A

Design	Pivot	N/A
	Wall Mount	N/A
Eco	ENERGY STAR	N/A
	Energy Efficiency Class	F
	Recycled Plastic	N/A
Power	Power Supply	AC 100-240V 50/60Hz
	Power Consumption (Max)	N/A
	Power Consumption (Typ)	28.0 W
	Power Consumption (DPMS)	0.3 W
	Power Consumption (Off Mode)	0.3 W
	Power Consumption (Yearly)	41 kWh/year
	Type	External Adaptor
Dimension	Set Dimension with Stand (WxHxD)	708.8 x 514.4 x 271.7 mm
	Set Dimension without Stand (WxHxD)	708.8 x 426.0 x 133.5 mm
	Package Dimension (WxHxD)	806 x 242 x 520 mm
Weight	Set Weight with Stand	6.4 kg
	Set Weight without Stand	4.9 kg
	Package Weight	9.3 kg
Accessory	Power Cable Length	1.5 m
	D-Sub Cable	N/A
	DVI Cable	N/A
	HDMI Cable	Yes
	HDMI to DVI Cable	N/A
	DP Cable	N/A
	USB Type-C Cable	N/A
	Thunderbolt 3 Cable	N/A
	Mini-Display Gender	No
	Install CD	Yes
	Audio Cable	N/A
	USB 2.0 Cable	N/A
	USB 3.0 Cable	N/A
	Remote Controller	N/A
Disclaimer	Disclaimer	N/A