

Model Code		LF24G35TFWUXEN
Attribute		Value
Display	Screen Size (Class)	24
	Flat / Curved	Flat
	Active Display Size (HxV) (mm)	527.04mm x 296.46mm
	Screen Curvature	N/A
	Aspect Ratio	16:09
	Panel Type	VA
	Brightness (Typical)	250 cd/m ²
	Peak Brightness (Typical)	N/A
	Brightness (Min)	200 cd/m ²
	Contrast Ratio Static	3,000:1(Typ.)
	Dynamic Contrast Ratio	Mega
	HDR(High Dynamic Range)	N/A
	Resolution	1,920 x 1,080
	Response Time (ms)	1ms(MPRT)
	Viewing Angle (H/V)	178°(H)/178°(V)
	Color Support	Max 16.7M
	Color Gamut (NTSC 1976)	N/A
	Color Gamut (DCI Coverage)	N/A
	sRGB Coverage	N/A
	Adobe RGB Coverage	N/A
Frame Rate	Max 144Hz	
Display	Samsung MagicRotation Auto	N/A
	Eco Saving Plus	N/A
	Eco Motion Sensor	N/A
	Eco Light Sensor	N/A
	0.00 W Off mode	N/A
	Eye Saver Mode	Yes
	Flicker Free	Yes
	Picture-In-Picture	N/A
	Picture-By-Picture	N/A
	Quantum Dot Color	N/A

[Back to Overview](#)

General Feature	Game Mode	Yes
	Image Size	N/A
	USB Super Charging	N/A
	Daisy Chain	N/A
	Windows Certification	Windows 10
	FreeSync	N/A
	FreeSync Premium	Yes
	FreeSync Premium Pro	N/A
	G-Sync	N/A
	Off Timer Plus	N/A
	Smartphone Wireless Charging	N/A
	Screen Size Optimizer	N/A
	Black Equalizer	N/A
	Low Input Lag Mode	N/A
	Refresh Rate Optimizer	N/A
	Custom Key	N/A
	Super Arena Gaming UX	N/A
	HDMI-CEC	N/A
	Wireless Display	No
	D-Sub	1 EA
DVI	No	
Dual Link DVI	No	
Display Port	1 EA	
Display Port Version	1.2	
Display Port Out	No	
Display Port Out Version	No	
Mini-Display Port	No	
HDMI	1 EA	
HDMI Version	2	
Audio In	No	
Headphone	Yes	
USB Hub Down Ports	No	
USB Hub Version	No	
USB-C	No	
USB-C Charging Power	No	
Thunderbolt 3	N/A	

Interface	Thunderbolt 3 Charging Power (Port 1)	N/A
	Thunderbolt 3 Charging Power (Port 2)	N/A
	Ethernet (LAN)	N/A
Audio	Speaker	No
	USB Sound Bar (Ready)	No
Operation Conditions	Temperature	10~40 °C
	Humidity	10~80, Non-Condensing %
Calibration	Factory Tuning	N/A
	Built in Calibration Engine	N/A
	LUT(Look-up Table) Bit Depth	N/A
	Gray Balance	N/A
	Uniformity Correction	N/A
	Color Mode	N/A
	CMS(Color Management Software)	N/A
	Factory Calibration Report	N/A
Design	Color	BLACK
	Stand Type	HAS PIVOT
	HAS(Height Adjustable Stand)	130mm±5mm
	Tilt	-5.0° (±2.0°) ~20.0° (±2.0°)
	Swivel	-30° (±2.0°) ~ +30.0° (±2.0°)
	Pivot	-90.0° (±3.0°) ~ +90.0° (±3.0°)
Eco	Wall Mount	100 x 100
	ENERGY STAR	N/A
	Energy Efficiency Class	F
	Recycled Plastic	N/A
	Power Supply	AC 100~240V
	Power Consumption (Max)	35W W
	Power Consumption (Typ)	20.0 W
	Power Consumption (DPMS)	Less than 0.3 W

Power	Power Consumption (Off Mode)	Less than 0.3 W
	Power Consumption (Yearly)	29 kWh/year
	Type	External Adaptor
Dimension	Set Dimension with Stand (WxHxD)	541.9 x 494.0 x 265.7 mm
	Set Dimension without Stand (WxHxD)	541.9 x 322.2 x 54.8 mm
	Package Dimension (WxHxD)	611.0 x 406.0 x 200.0 mm
Weight	Set Weight with Stand	4.5 kg
	Set Weight without Stand	2.8 kg
	Package Weight	6.0 kg
Accessory	Power Cable Length	1.5 m
	D-Sub Cable	No
	DVI Cable	No
	HDMI Cable	No
	HDMI to DVI Cable	No
	DP Cable	Yes
	USB Type-C Cable	No
	Thunderbolt 3 Cable	No
	Mini-Display Gender	No
	Install CD	No
	Audio Cable	No
	USB 2.0 Cable	No
	USB 3.0 Cable	No
	Remote Controller	No
Disclaimer	Disclaimer	Yes