

LS34A - TECHNICAL SPECIFICATIONS SHEET

References

Equipment type	Wine cellar	EAN code	3541361607080
End-product stage	Marketed	Factory reference	KWS-34
Brand	La Sommelière	Last update	21/03/2019 11:06

Presentation

Use	Service temperature wine cellar	Number of compartments	1
Installation	Free standing installation	Adjustable temp. range of use	5 -20°C
Ambient temp. range of use	16-38°C		

Dimensions

Gross width (cm)	51.0	Net width (cm)	48.0
Gross depth (cm)	46.0	Net depth (cm)	43.0
Gross height (cm)	88.3	Net height (cm)	83.8
Gross weight (kg)	29.0	Net weight (kg)	27.0
Gross volume (L)	0	Net volume (L)	89

Capacity

Number of bottles	34	Other type of shelves (1)	
Capacity / nb of shelf	6	Number of shelves (1)	
Number of cans	0	Type (1)	
Shelves modularity	Yes	Front (1)	
Main type of shelves		Other type of shelves (2)	
Number of shelves		Number of shelves (2)	
Type		Type (2)	
Front		Front (2)	
		Type of optional shelves	

Doors

Number of doors	1	Frame color	Steel
Reversible door	No	Lock	No
Door type	Glass	Door rack	No
Anti-UV treated glass	No	Door opening	From left to right
Glass type	2-layers	Model of handle	
Tempered glass	Yes	Position of handle	Vertical on the left side
Glass color	Grey	Handle entraxe (cm)	

Construction

Body type	Sheet metal	Charcoal filter	No
Body color	Black	Light	Yes
Interior color	Black	Light ON/OFF switch button	Yes
Type of side walls	Nil	Number of LED lights	1
Bottom wall type	None	Light color	White
Insulation type	None	Lighting power (W)	1.0
Foaming agent	Cyclopentane	Automatic defrost	Yes
Number of adjustable feet	2	Anti-vibration system	Yes
Height of feet (cm)	1.9	Removable ventilation grid	No
Number of wheels	2	Demo mode	None
Plumbing passage	None	Comment	-

LS34A

Regulation

Regulation system	Electronic	Thermometer	Yes
Type of equipment	Compressor	Thermometer type	Digital
Cold type	Air moving system	Display color	Blue
Winter system	No	Position of display	Exterior
Hygrometry regulation	Hygrometry support tray	Control panel	
Power resistor (W)		Heat production	None
Hygrometer	No	Heating power (W)	
Hygrometer type		Access to settings	None

Electrical data

Power input (W)	90.0	Voltage (V)	220-240
Power switch	None	Frequency (Hz)	50.0
Plug	None	Electrical intensity (A)	1.0

Environmental data

Climate class	ST	Type of gas	R600a
Energy Class	A	Gas charge (g)	25.0
Daily electrical cons. (kW)	0.389	WEEE	
Noise level (dB)	42.0	Eco-contribution status	
Annual electrical cons. (kW)	142.0	Eco-contribution code	
Appliance category	2 - Wine cellar	Eco-contribution type	
EI		Eco-contribution belonging	PEM

Logistics

20' units (nb)	140	Units by full truck	224
40' units (nb)	295	Pallet dimensions (cm)	51 x 46 x 88
40' HC units (nb)	345	Customs code	

Other information

Argument title	
Commercial argument	Integrated door panel control

LS34A

Photos of the model

